

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-65
Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement</u>		<u>Exhaust Emission Control Systems</u> <u>(Special Features)</u>
	<u>Cubic Inches (Liters)</u>		
GMB2.3V6FA10	140	(2.3)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>Grams per Mile</u>	<u>Carbon Monoxide</u> <u>Grams per Mile</u>	<u>Nitrogen Oxides</u> <u>Grams per mile</u>
0.46	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>Grams per Mile</u>	<u>Carbon Monoxide</u> <u>Grams per Mile</u>	<u>Nitrogen Oxides</u> <u>Grams per Mile</u>
0.31	2.4	0.2

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30th day of August, 1985.



K. D. Drachand, Chief
Mobile Source Division

Manufacturer Daimler-Benz AG Executive Order No. A-3-65
Engine Family GMB2.3V6FA10 Evaporative Family GMBV6
Engine CID (Liters) 140 (2.3)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Vent
CFI-Central Fuel Injection
DID-Diesel Injection
DIP-Diesel Injection Prechamber
EFI-Electronic Fuel Injection
MFI-Mechanical Fuel Injection
TC-Turbocharge

VEHICLE MODELS: 190E2.3

DRIVE SYSTEM: Front Engine/ Rear -Wheel Drive

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A -3-65

☒ Passenger Cars ☐ Light-Duty Trucks ☐ Medium-Duty Vehicles ☒ Gas ☐ DieselManufacturer Daimler-Benz AGPage 2Engine Family GMB2.3V6FA10Engine Code M102-1ECS (Special Features) CL,TWC (MFI)CID (Liter)-
Type 140 (2.3) L-4

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equip. Test Weight lbs	Ign. System VA Part No.	Fuel System MFI Part No.	EGR Valve Part No.	Label Ident. Part No.
M102-1	190E2.3	A4,M5	3125	003 158 2801	Fuel Distributor: 0 438 101 004 Air Sensor: 0 258 003 015	DNA	Tune-up: 2015843421 Vac. Line Diagr.: 2015843021

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -